

PRODUCT INFORMATION

CHAINS & SLINGS**Lashing belts**



1 2

Cam buckle



3

Ratchet



4

Ratchet



7 8

Ratchet



10 11

Ratchet



13a

Ratchet



14

Truckfitting

End fittings, tensioning devices, a few examples ..., standard components to attach and tension lashing belts.



16

Pallet hook



18

Pallet hook



19 to 25

Pallet hook




27

Flat hook



29

Ratchet hook



31 32

Claw hook



36

Truckfitting



40

Plate hook




41 42

Delta safety hook




43 44

Safety hook



46 47 48

Cap nut triangle



49 50

Delta ring



51 52

Belt connector




53

RS-type coupling



55

Flash mounted lashing eye



Efficient load restraint with ratchet lashing belts.
 Wide range of applications from hobby, travel, sport to heavy loads.
 Highest safety standard.
 Pre-stretched textile belt made from high tensile polyester yarn.
 Low elongation.
 Wide range of functional fittings.
 Ideal for truck loads.



Lashing belt single part

With ratchet, Endless strapping,
Orange coloured webbing

Type Size	Lashing Capacity (LC)	Minimum Breaking Force	Width of belt	Application	Fittings
	daN	daN	mm		
SZ 50-1	500	1000	25	Light duty transports	[3]
SZ 101-1	1000	2000	25	Light, large volume cargo	[4]
SZ 201-1	2000	4000	35	Medium duty cargo	[5]
SZ 400-1	4000	8000	50	Heavy duty cargo	[9]
SZ 500-1	5000	10000	50	Heavy duty cargo	[11]
SZS 1000-1A	10000	20000	75	Extra heavy duty cargo	[12]



Lashing belt double part



With ratchet and end fittings
Orange coloured webbing

Type Size	Lashing Capacity (LC)	Minimum Breaking Force	Width of belt	Application	Fittings
	daN	daN	mm		
SZ 51-2	500	1000	25	Light, very large volume cargo	[4][22]
SZ 101-2	1000	2000	35	Medium duty cargo	[5][23]
SZ 125-2	1250	2500	50	Medium duty cargo	[8][24]
SZ 200-2	2000	4000	50	Heavy duty cargo	[9][24]
SZ 250-2	2500	5000	50	Heavy duty cargo	[24]
SZ 500-2	5000	10000	75	Extra heavy duty cargo	[25]

CAUTION!

Lashing belts must not be used for lifting loads.

Key for lashing belt end fittings on previous page.



MORE...

Extreme usage conditions require special solutions: edge protectors, anti-abrasion sleeves or coatings, special end fitting components or special connecting devices, possibly in stainless steel. We are pleased to advise.

